





Weight [kg]	15.0000	Length [cm]	36.0
Height [cm]	20.0	Width [cm]	36.0
		Model	RF22P-2DK.3F.5R

Construction	Centrifugal
Size [mm]	220
Series	RF-P
Brand	Ziehl-abegg
Weight [kg]	10
Amperage [A]	1.95
Capacity [m3/h]	1550
Frequency [Hz]	50
Power [V]	400
Rotational speed [rpm]	2100
Degree of protection	IP 10
Power [kW]	1.2
Pressure [Pa]	1050



	U	I	P _i	n	L _{WA}
	V	A	W	min ⁻¹	dB
①	0,67	250	2880		
②	400	0,96	540	2700	
③	1,95	1200	2100		
④	0,56	195	2680		
⑤	230	0,92	330	2330	
⑥	1,6	540	1290		
⑦	0,62	175	2460		
⑧	180	0,92	250	2010	
⑨	1,35	360	1070		
⑩	0,67	145	2150		
⑪	140	0,87	185	1620	
⑫	1,1	220	860		
⑬	90	0,66	87	1120	

$$p_{d2} = 1,25 \cdot 10^{-6} \cdot q_v^2$$



Widerstandskennlinien
Resistance Curves

- A** Lamellengitter
Louvre
- B** Filterkorb mit Vliesfilter
Filterbasket



Typ
Type

Art.-Nr.
Art.no.

① Fremdlüfter
High performance fan

RF22P-2DK.3F.1R

204 975

② Lamellengitter
Louvre

siehe Zubehör
Kapitel RF..P
*see accessories
section RF..P*

③ Filterkorb
Filter basket

siehe Zubehör
Kapitel RF..P
*see accessories
section RF..P*

